

\* Window

\* Self-Adhering Transition Membrane wrapped into rough opening

\* Backer Rod and Sealant (vented)

Wrap insulation edge with mesh-reinforced base coat

Min. slope 1:2

\* EIFS Moulding

DuROCK Adhesive for moulding attachment

DuROCK Finish Coat

DuROCK Fibre Mesh embedded in DuROCK Prep Coat

DuROCK PUCCS Insulation with 10mm Geometrically Defined Drainage Cavity (GDDC)

DuROCK Polar Bear Moisture Barrier/Adhesive

DuROCK Roller Bear or Polar Bear Air/Moisture Barrier

\* Wood Sheathing

(\* by others)

**PUCCS-LRRC**  
(FOR LOW-RISE RESIDENTIAL CONSTRUCTION)

DRAWING TITLE:

**WINDOW SILL**

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit [www.durock.com](http://www.durock.com) for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

**DuROCK**  
Alfacing International Limited  
101-B ROYTEC ROAD  
WOODBRIDGE, ONTARIO  
TEL : (905) 856-0133, FAX : (905) 856-9654  
[www.durock.com](http://www.durock.com)  
ARCHITECTURAL FINISHING SYSTEMS

LAST REVISION: MAR 2017  
ISSUED: MAR 2007  
DRAWN BY: RIZ  
SCALE: NTS  
**PUCCS-LRRC**  
**D03**