



DuROCK Puccs EIFS

Wrap insulation edge with reinforcing mesh, terminate base coat at drainage track

DuROCK Uni-Track drainage track with lip

* Wooden Deck

Minimum 50mm (2")

* Self-Adhering Transition Membrane

* Metal Flashing

* Sealant

Wrap insulation edge with mesh-reinforced base coat

DuROCK Puccs EIFS

DuROCK Polar Bear Moisture Barrier/Adhesive

DuROCK Roller Bear or Polar Bear Moisture Barrier

* Wood Sheathing

(* by others)

Puccs-LRRC
(FOR LOW-RISE RESIDENTIAL CONSTRUCTION)

DRAWING TITLE:

TERMINATION AT BALCONY/DECK

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

DuROCK
Alfacing International Limited
101-B ROYTEC ROAD
WOODBRIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com
ARCHITECTURAL FINISHING SYSTEMS

LAST REVISE:	MAR 2017
ISSUED:	MAR 2007
DRAWN BY:	RIZ
SCALE:	NTS
Puccs-LRRC	
D09	