



MATERIAL SAFETY DATA SHEET
DUROCK ALFACING INTERNATIONAL LTD.

1. Chemical Product and Company Identification

Chemical Name: DuROCK Trowel Finish Coats
MSDS Date: November 2015

Company Identification
DuROCK Alfacing International Ltd.
101 B Roytec Rd.
Woodbridge, On
L4L 8A9

Emergency Telephone Numbers
Health Emergency: 905-856-0133
Spill Emergency: 905-856-0133

2. Hazardous Identification

Primary Routes of Exposure

Inhalation Skin Absorption Eye Contact Ingestion Skin Contact

Effects of Acute Exposure to Product

May cause respiratory tract irritation and central nervous system (CNS) depression at high concentrations. Can be absorbed through intact skin. May cause eye irritation, redness and pain. Can cause respiratory failure, cardiovascular collapse, pulmonary edema, and kidney failure if ingested.

Other Health Effects

Survival of CNS depression may be followed by cardiopulmonary failure, which is initiated by the onset of coma, and is characterized by quick, shallow breathing, excessively fast heartbeat, mild hypertension and cyanosis. In severe cases, pulmonary edema, bronchopneumonia, cardiac enlargement and possible death may occur. Survival of cardiopulmonary failure may be followed by kidney damage, which may range from a mild increase in blood urea nitrogen to complete kidney failure, and possible death.

3. Composition/Information on Ingredients

<u>Chemical Name</u>	<u>CAS REG NO.</u>	<u>Weight (%)</u>	<u>TLV(mg/m³)</u>	<u>LC₅₀/LD₅₀</u>
Propylene Glycol	000057-55-6	0.4-1.0	Not listed	LC ₅₀ (oral,rat)>3000mg/kg LD ₅₀ (dermal,rabbit)> 5000mg/kg
Ester Alcohol	25265-77-4	0.1-0.4	Not listed	LC ₅₀ (oral,rat)>3000mg/kg LD ₅₀ (dermal,rabbit)> 15200mg/kg
Liquid Thickener	N/A	0.3-0.5	N/A	N/A
In Can Preservative	N/A	0.1-0.3	N/A	N/A
Acrylic Emulsion	N/A	15-18	N/A	N/A
Kaolin Clay	N/A	1.5-3.5	N/A	N/A
Dolomite	N/A	15-30	N/A	N/A
Nepheline Syenite	N/A	10-65	N/A	N/A
Calcium Carbonate	1317-65-3	5-35	Total Dust, 10mg/m ³ TWA	N/A



3. Composition/Information on Ingredients cont.

<u>Chemical Name</u>	<u>CAS REG NO.</u>	<u>Weight (%)</u>	<u>TLV(mg/m³)</u>	<u>LC₅₀/LD₅₀</u>
Silica Sand	N/A	35-65	Respirable Dust, 0.1mg/m ³ TWA	N/A
Titanium Dioxide	N/A	0.03-2.5	10mg/m ³	LD ₅₀ (rat,oral) >24000mg/m ³ LC ₅₀ (rat,inhalation) >6820mg/m ³

4. First Aid Measures

Inhalation

Move victim to fresh air. Give artificial respiration only if breathing has stopped. Give cardiopulmonary resuscitation (CPR) if there is no breathing and no pulse. Obtain medical attention immediately.

Eye Contact

Immediately flush eyes with running water for a minimum of 20 minutes. Hold eyelids open during flushing. If irritation persists, repeat flushing. Obtain medical attention immediately.

Skin Contact

Flush skin with running water and wash affected areas thoroughly with soap and water. Start flushing while removing contaminated clothing. Obtain medical attention immediately.

Ingestion

If victim is alert and not convulsing, give ½ to 1 glass of water to dilute the material. DO NOT INDUCE VOMITING. If spontaneous vomiting occurs, have victim lean forward with head down to avoid breathing in of vomitus, rinse mouth and administer more water. Obtain medical attention immediately.

General information: Treat symptomatically

5. Fire Fighting Measures

Flash Point: N/A
Auto-Ignition Temperature: N/A
Lower Explosive Limit: N/A
Upper Explosive Limit: N/A
Unusual Hazards: N/A
Extinguishing Agents: N/A

7. Handling and Storage

Storage Conditions

Storage temperature should not exceed 40°C (104°F) or fall below 4°C (40°F).



7. Handling and Storage cont.

Handling Procedures

N/A

8. Personal Protection

Respiratory Protection

NIOSH/MSHA approved respirator if required.

Eye Protection

Safety glasses with side shields are recommended to prevent eye contact.

Hand Protection

Use gloves and protective clothing made of material which has been found by user to be impervious under conditions of use.

Engineering Controls (Ventilation)

Use local exhaust or general ventilation to keep the airborne concentrations below the applicable exposure limits.

9. Physical and Chemical Properties

Odour Characteristics: Ammonia odour

PH: N/A

Viscosity: N/A

Specific Gravity (Water=1): 1-1.2

Vapour Density (Air=1): N/A

Vapour Pressure: N/A

Solubility in Water: Miscible

10. Stability and Reactivity

Instability

Chemically stable

Hazardous Decomposition

Not available

Hazardous Polymerization

Not available

Incompatibility

Not available

11. Toxicological Information

Acute Data: N/A

Oral LD50 – rat: N/A

Dermal LD50 – rabbit: N/A

Skin irritation – rabbit: N/A

Eye irritation – rabbit: N/A



DUROCK ALFACING INTERNATIONAL LTD.
101B ROYTEC RD
WOODBIDGE, ON
L4L 8A9

PRODUCT: DUROCK TROWEL FINISH COAT
MSDS DATE: NOVEMBER 2015

14. Transport Information

This product is not regarded as dangerous goods according to the national and international regulations on the transport of dangerous goods.

16. Other Information

MSDS prepared by: DuROCK Alfacing International Limited
101B Roytec Rd
Woodbridge, On
L4L 8A9

Supplier/Manufacturer: Same as above