

* Sheathing

DuROCK Moisture Barrier

DuROCK Moisture Barrier/Adhesive

DuROCK PUCCS,
EPS Insulation Board

DuROCK Reinforcing Mesh
embedded in DuROCK Prep Coat

DuROCK Finish Coat

Wrap insulation edge with
reinforcing mesh, terminate
base coat at drainage track

DuROCK Uni-Track drainage track without lip

approx.
12mm

EIFS Soffit

(* by others)

DuROCK SYSTEM:
PUCCS-CHRC
(FOR COMMERCIAL AND HIGH RISE CONSTRUCTION)

DRAWING TITLE:
TERMINATION AT EIFS SOFFIT

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

DuROCK
Alfacing International Limited
101-B ROYTEC ROAD
WOODBIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com
ARCHITECTURAL FINISHING SYSTEMS

LAST REVISE: JAN 2019
ISSUED: MAR 2007
DRAWN: RIZ
SCALE: NTS
PUCCS-CHRC
D-10