

\* Wood Sheathing

DuROCK Roller Bear or  
Polar Bear Moisture Barrier

DuROCK Polar Bear  
Air/Moisture Barrier/Adhesive

Fibre mesh  
200mm (8")  
overlapping on  
both sides

200mm (8")

Liquid Foam Spray  
at Pucc Board corner joints

DuROCK Puccs, EPS Insulation  
Board with 10mm (GDDC)  
Geometrically Defined Drainage Cavity

DuROCK Reinforcing Mesh  
embedded in DuROCK Prep Coat

DuROCK Finish Coat

(\* by others)

DuROCK SYSTEM:

### Puccs-LLRC

(FOR LOW-RISE RESIDENTIAL CONSTRUCTION)

DRAWING TITLE:

## OUTSIDE CORNER TREATMENT (PLAN DETAIL)

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit [www.durock.com](http://www.durock.com) for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

**DuROCK**

Alfacing International Limited

101-B ROYTEC ROAD  
WOODBRIDGE, ONTARIO  
TEL : (905) 856-0133, FAX : (905) 856-9654  
[www.durock.com](http://www.durock.com)

ARCHITECTURAL FINISHING SYSTEMS

LAST REVISE: JAN 2019

ISSUED: MAR 2007

DRAWN: RIZ

SCALE: NTS

Puccs-LLRC  
**D-17**