


PUCCS™ NC

Pressure-Utilized Compartmented Cavity System

CCMC # 12969-R (PATENT PENDING)



(* by others)

DuROCK SYSTEM:

PUCCS-NC

(NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:

PUCCS NC STANDARD SECTION DETAIL

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.



Alfacing International Limited

101-B ROYTEC ROAD
WOODBRIIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com

ARCHITECTURAL FINISHING SYSTEMS

REVISION: 02 DEC 2019

ISSUED: JAN 2019

DRAWN: RIZ

SCALE: NTS

PUCCS-NC
COVER

* Sheathing

DuROCK Air/Moisture Barrier

DuROCK Moisture Barrier/Adhesive

DuROCK Reinforcing Mesh
embedded in DuROCK Base Coat

Mechanical Fastener

DuROCK Finish Coat

DuROCK Pucc-Rock insulation board
with integral reinforcing mesh

Wrap insulation edge with reinforcing
mesh, terminate base coat at drainage track


* Backer Rod and Sealant, vented (optional)

DuROCK Uni-Flash

* Sealant under Uni-Flash drip edge (optional)

* Self-Adhering Transition Membrane
wrapped into rough opening

* Window Frame



(* by others)

DuROCK SYSTEM:

PUCCS-NC

(NON-COMBUSTIBLE EIFS CLADDING WITH Pucc-ROCK INSULATION)

DRAWING TITLE:

WINDOW HEADER WITH DuROCK PVC UNI-FLASH

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.



Alfacing International Limited

101-B ROYTEC ROAD
WOODBRIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com

ARCHITECTURAL FINISHING SYSTEMS

REVISION: 01 MAR 2020

ISSUED: JAN 2019

DRAWN: RIZ

SCALE: NTS

PUCCS-NC
D-01

* Sheathing

DuROCK Air/Moisture Barrier

DuROCK Moisture Barrier/Adhesive

DuROCK Reinforcing Mesh
embedded in DuROCK Base Coat

Mechanical Fastener

DuROCK Finish Coat

DuROCK Pucc-Rock insulation board
with integral reinforcing mesh

* Self-Adhering Transition Membrane
lapped onto metal flashing

Wrap insulation edge with reinforcing
mesh, terminate base coat at GDDC

* Backer Rod and Sealant (vented)

* Metal Flashing

* Sealant under flashing drip edge (optional)

* Window Frame

* Self-Adhering Transition Membrane
wrapped into rough opening

(* by others)

DuROCK SYSTEM:

PUCCS-NC

(NON-COMBUSTIBLE EIFS CLADDING WITH Pucc-ROCK INSULATION)

DRAWING TITLE:

WINDOW HEADER WITH METAL FLASHING

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.



Alfacing International Limited

101-B ROYTEC ROAD
WOODBRIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com

ARCHITECTURAL FINISHING SYSTEMS


REVISION: 01 MAR 2020

ISSUED: JAN 2019

DRAWN: RIZ

SCALE: NTS

PUCCS-NC
D-02




DuROCK SYSTEM:
PuccS-NC
 (NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:
WINDOW SILL

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

DuROCK
 Alfacing International Limited
 101-B ROYTEC ROAD
 WOODBRIDGE, ONTARIO
 TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com
 ARCHITECTURAL FINISHING SYSTEMS

REVISION: 00
ISSUED:	JAN 2019
DRAWN:	RIZ
SCALE:	NTS
PuccS-NC	
D-03	



(* by others)


DuROCK SYSTEM:
PUCCS-NC
 (NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:
WINDOW JAMB (PLAN DETAIL)

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

DuROCK
 Alfacing International Limited
 101-B ROYTEC ROAD
 WOODBRIDGE, ONTARIO
 TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com
 ARCHITECTURAL FINISHING SYSTEMS

REVISION: 01	MAR 2020
ISSUED:	JAN 2019
DRAWN:	RIZ
SCALE:	NTS
PUCCS-NC	
D-04	



(* by others)

DuROCK SYSTEM:

PUCCS-NC

(NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:

HORIZONTAL EXPANSION JOINT (SEALED OPTION)

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.



Alfacing International Limited

101-B ROYTEC ROAD
WOODBRIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com

ARCHITECTURAL FINISHING SYSTEMS

REVISION: 00

ISSUED: JAN 2019

DRAWN: RIZ

SCALE: NTS

PUCCS-NC
D-05

* Sheathing

DuROCK Air/Moisture Barrier

DuROCK Moisture Barrier/Adhesive

DuROCK Pucc-Rock insulation board with integral reinforcing mesh

DuROCK Reinforcing Mesh embedded in DuROCK Base Coat

DuROCK Fibre Mesh embedded in Moisture Barrier at sheathing and concrete interface

Mechanical Fastener

* Floor slab

DuROCK Finish Coat

Wrap insulation edge with reinforcing mesh, terminate base coat at drainage track

DuROCK PVC Uni-Flash self-flashing drainage track

Wrap insulation edge with mesh-reinforced base coat

* Self-Adhering Transition Membrane

* Backer Rod at joint

(* by others)

DuROCK SYSTEM:

Puccs-NC

(NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:

HORIZONTAL EXPANSION JOINT (DRAINED OPTION)

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.



Alfacing International Limited

101-B ROYTEC ROAD
WOODBRIIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com

ARCHITECTURAL FINISHING SYSTEMS


REVISION: 00

ISSUED: JAN 2019

DRAWN: RIZ

SCALE: NTS

Puccs-NC
D-06



(* by others)


DuROCK SYSTEM:
Puccs-NC
 (NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:
TERMINATION AT GRADE

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

DuROCK
 Alfacing International Limited
 101-B ROYTEC ROAD
 WOODBRIDGE, ONTARIO
 TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com
 ARCHITECTURAL FINISHING SYSTEMS

REVISION: 00
ISSUED:	JAN 2019
DRAWN:	RIZ
SCALE:	NTS
Puccs-NC	
D-07	



(* by others)

DuROCK SYSTEM:

PUCCS-NC

(NON-COMBUSTIBLE EIFS CLADDING WITH PUC-C-ROCK INSULATION)

DRAWING TITLE:

TERMINATION AT FLAT ROOF

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.



Alfacing International Limited

101-B ROYTEC ROAD
WOODBRIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com

ARCHITECTURAL FINISHING SYSTEMS


REVISION: 00

ISSUED: JAN 2019

DRAWN: RIZ

SCALE: NTS

PUCCS-NC
D-08



DuROCK SYSTEM:

PuccS-NC

(NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:

TERMINATION AT BALCONY SLAB

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.



Alfacing International Limited

101-B ROYTEC ROAD
WOODBRIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com

ARCHITECTURAL FINISHING SYSTEMS


REVISION: 00

ISSUED: JAN 2019

DRAWN: RIZ

SCALE: NTS

PuccS-NC
D-09




DuROCK SYSTEM:
PUCCS-NC
 (NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:
OUTSIDE CORNER (PLAN DETAIL)

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

DuROCK
 Alfacing International Limited
 101-B ROYTEC ROAD
 WOODBRIDGE, ONTARIO
 TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com
 ARCHITECTURAL FINISHING SYSTEMS

REVISION: 00
ISSUED:	JAN 2019
DRAWN:	RIZ
SCALE:	NTS
PUCCS-NC	
D-10	



(* by others)

DuROCK SYSTEM:
Puccs-NC
 (NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:
AESTHETIC REVEAL (PLAN DETAIL)

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

DuROCK
 Alfacing International Limited
 101-B ROYTEC ROAD
 WOODBRIDGE, ONTARIO
 TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com
 ARCHITECTURAL FINISHING SYSTEMS


REVISION: 00

ISSUED: NOV 2019

DRAWN: RIZ

SCALE: NTS

Puccs-NC
D-11



(* by others)

DuROCK SYSTEM:

PUCCS-NC

(NON-COMBUSTIBLE EIFS CLADDING WITH PUCC-ROCK INSULATION)

DRAWING TITLE:

PUCC-ROCK INSTALLATION AND FASTENING PATTERN

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit www.durock.com for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.



Alfacing International Limited

101-B ROYTEC ROAD
WOODBRIDGE, ONTARIO
TEL : (905) 856-0133, FAX : (905) 856-9654
www.durock.com

ARCHITECTURAL FINISHING SYSTEMS

REVISION: 00
ISSUED:	OCT 2019
DRAWN:	RIZ
SCALE:	NTS

**PUCCS-NC
D-12**