



DuROCK Polar Bear applied continuously inside the opening extending a minimum of 50mm (2'') onto the sheathing

Window (by others)

Backer Rod and Sealant (by others)

Wrap insulation edge with mesh-reinforced base coat

DuROCK PUCCS, EPS Insulation Board with 10mm (GDDC) Geometrically Defined Drainage Cavity

DuROCK Reinforcing Mesh embedded in DuROCK Prep Coat

DuROCK Finish Coat

DuROCK Polar Bear Moisture Barrier/Adhesive

DuROCK Polar Bear or Roller Bear Moisture Barrier

Wood Sheathing (by others)

DuROCK SYSTEM:  
**PUCCS-LRRC**  
 (FOR LOW-RISE AND RESIDENTIAL CONSTRUCTION)

DRAWING TITLE:  
**WINDOW JAMB**

This detail complements the corresponding system specification and illustrates the system configuration for the depicted construction. Visit [www.durock.com](http://www.durock.com) for the latest revisions and contact DuROCK for project-specific details to suit conditions other than those depicted. DuROCK assumes no liability for the architecture, design, engineering, or workmanship of any project.

**DuROCK**  
 Alfacing International Limited  
 101-B ROYTEC ROAD  
 WOODBRIDGE, ONTARIO  
 TEL : (905) 856-0133, FAX : (905) 856-9654  
[www.durock.com](http://www.durock.com)  
 ARCHITECTURAL FINISHING SYSTEMS

LAST REVISE:	JUL 2020
ISSUED:	MAR 2007
DRAWN:	RIZ
SCALE:	NTS
<b>PUCCS-LLRC</b>	
<b>D-05</b>	